

PROTECTIVE
CASES

SUPRO[®]
>>BOX

suprobox.com



Suprobox cases provide a reliable solution for any equipment requiring a high level of protection. IP67 rated, waterproof and dustproof cases certified according to military standards STANAG 4280 and DEF STAN 81-41.

All your equipment, whether for photography, broadcasting, medical, laboratory, marine, military, aerospace and defence or outdoor sports is safe in a Suprobox Case.

Suprobox is ready to meet your expectations with;

E Series 37 different sizes

M Series 35 different sizes

Suprobox cases offer pick & pluck or convoluted foam as standard options for the protection of your equipment inside.

Our engineering team, CAD/CAM softwares, CNC cutting machines provide the ideal solution to create a custom foam design.

- Copolymer Polypropylene (PP)
- Waterproof and resistant to chemicals, humidity and dust
- Resistant to extreme temperatures (-33°C / +90°C)
- Pressure release valve
- Recommended for professional applications
- Compliant with military standards
- Customer oriented solutions

Contents

Suprobox E Series Technical Specifications.....	2
Suprobox E Series Dimensions.....	17
Suprobox M Series Technical Specifications.....	18
Suprobox M Series Dimensions.....	32
Tests.....	33





SUPROBOX E SERIES

PRODUCT FEATURES

Soft grip handles
secured by stainless
steel pins



Manual pressure
release valve



Jam-free latches easy
to open.




Padlock points



Stacking Ribs



Telescopic handles and
edge castors (Certain
models)



PROFESSIONAL TRANSPORT CASES



IMPACT
RESISTANT



CRUSH
PROOF



STACKABLE



THICK BODY
MATERIAL



CORROSION
RESISTANT



RESIST
TEMPERATURES FROM
-33C TO +90C



IP67 DUST PROOF
-WATER PROOF



VARIOUS
DIMENSIONS



MILITARY
STANDARDS



WATERPROOF
GASKET



E08-19



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E08-19	216	180	102	190	125	85	65+20	0,70	-----

E13-19



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E13-19	216	180	152	190	125	135	115+20	0,85	-----







E09-22



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E09-22	246	215	112	220	160	95	75+20	0,88	-----

E14-22




PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E14-22	246	215	162	220	160	145	125+20	1,16	-----

E12-27



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E12-27	305	270	144	276	200	120	85+35	1,62	-----





SUPRO
>>BOX
SUPER
PROTECTIVE
BOXES

E17-27



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E17-27	305	270	194	276	200	170	135+35	1,93	-----

E05-30



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E05-30	326	269	75	300	210	58	38+20	1,10	-----

E17-33



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E17-33	360	304	194	330	234	170	102+68	2,29	-----

E17-35



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E17-35	360	420	194	330	350	170	102+68	2,92	-----

E18-38



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E18-38	410	340	205	380	270	180	133+47	3,14	-----

E09-42



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E09-42	457	367	118	420	300	95	60 + 35	2,00	-----

E16-42



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E16-42	457	367	183	420	300	160	125 + 35	2,40	-----

E12-44



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E12-44	474	415	149	445	345	125	78+47	3,40	-----

E19-44



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E19-44	474	415	214	445	345	190	143+47	4,00	-----

E20-48



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E20-48	520	435	230	480	370	205	155+50	4,64	-----

E17-51



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E17-51	546	347	197	517	277	173	123+50	3,80	-----

E22-51



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E22-51	546	347	247	517	277	217	167+50	6,00	Wheels





E18-52



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E18-52	550	350	200	520	285	180	150+30	3,75	Wheels

E21-52



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E21-52	550	350	225	520	285	205	150+55	3,90	Wheels

E25-53



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E25-53	607	475	275	538	405	250	190+60	7,00	-----

E26-53



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E26-53	627	475	292	538	405	250	190+60	10,00	Wheels

E22-58



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E22-58	650	510	245	580	440	220	160+60	7,16	-----

E23-58



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E23-58	670	510	262	580	440	220	160+60	9,17	Wheels

E33-58



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E33-58	670	510	372	580	440	330	270+60	10,54	Wheels

E30-76



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E30-76	860	560	355	765	485	305	245+60	13,56	Wheels

E41-76



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E41-76	860	560	460	765	485	415	355+60	15,02	Wheels

E26-77



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E26-77	836	641	304	770	580	265	175+90	10,30	Wheels

E45-77



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E45-77	836	641	489	770	580	450	360+90	15,50	Wheels

E14-78



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E14-78	846	427	167	780	350	145	103 + 42	5,50	-----





E13-94



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E13-94	989	415	157	939	352	137	94+43	6,70	Wheels

E33-94



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E33-94	1009	412	354	936	350	330	288 + 42	10,20	Wheels

E26-108



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E26-108	1178	725	287	1080	620	260	200+60	17,00	Wheels

E40-108



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E40-108	1178	718	427	1080	620	400	200+200	19,80	Wheels

E13-114



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E13-114	1189	415	159	1136	350	135	93+42	7,80	Wheels

E13-135



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E13-135	1430	415	159	1350	350	135	93+42	8,70	Wheels



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E27-135	1430	415	296	1350	350	272	230+42	11,70	Wheels

E16-154



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
E16-154	1629	456	183	1540	377	160	118 + 42	11,30	Wheels



SUPROBOX E SERIES DIMENSIONS

PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)					Weight Appr. (kg)	Special Features
	Length	Width	Height	Length	Width	Height	Base Height	Lid Height		
E08-19	216	180	102	190	125	85	65	20	0,70	-----
E13-19	216	180	152	190	125	135	115	20	0,85	-----
E09-22	246	215	112	220	160	95	75	20	0,88	-----
E14-22	246	215	162	220	160	145	125	20	1,16	-----
E12-27	305	270	144	276	200	120	85	35	1,62	-----
E17-27	305	270	194	276	200	170	135	35	1,93	-----
E05-30	326	269	75	300	210	58	38	20	1,10	-----
E17-33	360	304	194	330	234	170	102	68	2,29	-----
E17-35	360	420	194	330	350	170	102	68	2,92	-----
E18-38	410	340	205	380	270	180	133	47	3,14	-----
E09-42	457	367	118	420	300	95	60	35	2,00	-----
E16-42	457	367	183	420	300	160	125	35	2,40	-----
E12-44	474	415	149	445	345	125	78	47	3,40	-----
E19-44	474	415	214	445	345	190	143	47	4,00	-----
E20-48	520	435	230	480	370	205	155	50	4,64	-----
E17-51	546	347	197	517	277	173	123	50	3,80	-----
E22-51	546	347	247	517	277	217	167	50	6,00	Wheels
E18-52	550	350	200	520	285	180	150	30	3,75	Wheels
E21-52	550	350	225	520	285	205	150	55	3,90	Wheels

PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)					Weight Appr. (kg)	Special Features
	Length	Width	Height	Length	Width	Height	Base Height	Lid Height		
E25-53	607	475	275	538	405	250	190	60	7,00	-----
E26-53	627	475	292	538	405	250	190	60	10,00	Wheels
E22-58	650	510	245	580	440	220	160	60	7,16	-----
E23-58	670	510	262	580	440	220	160	60	9,17	Wheels
E33-58	670	510	372	580	440	330	270	60	10,54	Wheels
E30-76	860	560	355	765	485	305	245	60	13,56	Wheels
E41-76	860	560	460	765	485	415	355	60	15,20	Wheels
E26-77	836	641	304	770	580	265	175	90	10,30	Wheels
E45-77	836	641	489	770	580	450	360	90	15,50	Wheels
E14-78	846	427	167	780	350	145	103	42	5,50	-----
E13-94	989	415	157	939	352	137	94	43	6,70	Wheels
E33-94	1009	412	354	936	350	330	288	42	10,20	Wheels
E26-108	1178	725	287	1080	620	260	200	60	17,00	Wheels
E40-108	1178	718	427	1080	620	400	200	200	19,80	Wheels
E13-114	1189	415	159	1136	350	135	93	42	7,80	Wheels
E13-135	1430	415	159	1350	350	135	93	42	8,70	Wheels
E27-135	1430	415	296	1350	350	272	230	42	11,70	Wheels
E16-154	1629	456	183	1540	377	160	118	42	11,30	Wheels



SUPROBOX M SERIES

PRODUCT FEATURES

Soft grip handles



Automatic pressure release valve



Jam-free latches easy to open.



Padlock points



Stacking Ribs



Telescopic handles and edge casters (for some models)



PROFESSIONAL TRANSPORT CASES



IMPACT
RESISTANT



CRUSH
PROOF



STACKABLE



THICK BODY
MATERIAL



CORROSION
RESISTANT



RESIST
TEMPERATURES FROM
-33°C TO +90°C



IP67 DUST PROOF
- WATER PROOF



VARIOUS
DIMENSIONS



MILITARY
STANDARDS



WATERPROOF
GASKET



M-1K



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M-1K	175	115	47	157	82	41	29+12	0,14	-----

M-2K



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M-2K	230	175	53	212	140	47	33+14	0,26	-----







M-3K



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M-3K	350	230	59	316	195	53	37+16	0,48	-----

M-4K



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M-4K	350	230	86	316	195	81	65+16	0,54	-----

M24-11



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M24-11	258	243	117,5	235	180	106	81+25	0,82	-----



M24-15



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M24-15	258	243	167,5	235	180	156	131+25	0,96	-----

M30-13



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M30-13	336	300	148	300	225	132	99+33	1,62	-----

M38-11



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M38-11	414	345	129	380	270	115	79 +36	2,10	-----

M38-16



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M38-16	414	345	174	380	270	160	124 + 36	2,45	-----

M40-26



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M40-26	456	290	318	400	230	260	212,5 + 47,5	2,40	-----

M43-16



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M43-16	464	366	176	426	290	159	114+45	2,76	-----





M46-12



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M46-12	502	415	141	465	335	125	85+40	2,62	-----

M46-22



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M46-22	502	415	246	465	335	220	180+40	3,40	-----

M46-22T



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M46-22T	502	422	267	465	335	220	180+40	4,46	Wheels

M50-20



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M50-20	555	428	211	500	350	194	136+58	3,90	-----

M50-20T



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M50-20T	555	445	258	500	350	194	136+58	5,04	Wheels

M50-28



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M50-28	555	428	306	500	350	280	222+58	5,10	-----

M50-28T



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M50-28T	555	437	326	500	350	280	222+58	6,10	Wheels

M52-20



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M52-20	574	361	225	520	290	200	155+45	3,58	-----

M52-20T



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M52-20T	585	361	238	520	290	200	155+45	5,06	Wheels

M54-19



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M54-19	594	473	215	538	405	190	140+50	4,76	-----

M54-19T



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M54-19T	604	473	225	538	405	190	140+50	6,40	Wheels

M54-25



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M54-25	594	473	270	538	405	245	195+50	5,20	-----



M54-25T



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M54-25T	604	473	283	538	405	245	195+50	6,78	Wheels

M62-36



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M62-36	680	675	393	615	615	360	300 + 60	10,70	-----

M62-36T



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M62-36T	680	675	405	615	615	360	300 + 60	12,30	Wheels

M62-25



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M62-25	687	528	276	620	460	250	190+60	6,98	-----

M62-25T



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M62-25T	687	528	286	620	460	250	190+60	8,58	Wheels

M62-34



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M62-34	687	528	366	620	460	340	280+60	8,08	-----





M62-34T



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M62-34T	687	528	376	620	460	340	280+60	9,52	Wheels

M75-28T



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M75-28T	816	540	306	750	480	280	220+60	10,20	Wheels

M75-40T



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M75-40T	816	540	426	750	480	400	340+60	12,10	Wheels

M80-14



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M80-14	850	440	158	800	370	140	95+45	6,20	-----

M82-45T



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M82-45T	880	660	483	820	600	450	380 + 70	15,40	Wheels

M110-14T



PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)				WEIGHT (Kg)	SPECIAL FEATURES
	Length	Width	Height	Length	Width	Height	Body+Lid		
M110-14T	1177	450	158	1100	370	140	95+45	7,92	Wheels

SUPROBOX M SERIES DIMENSIONS

PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)					Weight Appr. (kg)	Special Features
	Length	Width	Height	Length	Width	Height	Base Height	Lid Height		
M-1K	175	115	47	157	82	41	29	12	0,14	---
M-2K	230	175	53	212	140	47	33	14	0,26	---
M-3K	350	230	59	316	195	53	37	16	0,48	---
M-4K	350	230	86	316	195	81	65	16	0,54	---
M24-11	258	243	117,5	235	180	106	81	25	0,82	---
M24-15	258	243	167,5	235	180	156	131	25	0,96	---
M30-13	336	300	148	300	225	132	99	33	1,62	---
M38-11	414	345	129	380	270	115	79	36	2,10	---
M38-16	414	345	174	380	270	160	124	36	2,45	---
M40-26	456	290	318	400	230	260	212,5	48	2,40	---
M43-16	464	366	176	426	290	159	114	45	2,76	---
M46-12	502	415	141	465	335	125	85	40	2,62	---
M46-22	502	415	246	465	335	220	180	40	3,40	---
M46-22T	502	422	267	465	335	220	180	40	4,46	Wheels
M50-20	555	428	211	500	350	194	136	58	3,90	---
M50-20T	555	445	258	500	350	194	136	58	5,04	Wheels
M50-28	555	428	306	500	350	280	222	58	5,10	---
M50-28T	555	437	326	500	350	280	222	58	6,10	Wheels

PRODUCT	EXTERNAL DIMENSIONS (mm)			INTERNAL DIMENSIONS (mm)					Weight Appr. (kg)	Special Features
	Length	Width	Height	Length	Width	Height	Base Height	Lid Height		
M52-20	574	361	225	520	290	200	155	45	3,58	---
M52-20T	585	361	238	520	290	200	155	45	5,06	Wheels
M54-19	594	473	215	538	405	190	140	50	4,76	---
M54-19T	604	473	225	538	405	190	140	50	6,40	Wheels
M54-25	594	473	270	538	405	245	195	50	5,20	---
M54-25T	604	473	283	538	405	245	195	50	6,84	Wheels
M62-36	680	675	393	615	615	360	300	60	10,70	---
M62-36T	680	675	405	615	615	360	300	60	12,30	Wheels
M62-25	687	528	276	620	460	250	190	60	6,98	---
M62-25T	687	528	286	620	460	250	190	60	8,50	Wheels
M62-34	687	528	366	620	460	340	280	60	8,08	---
M62-34T	687	528	376	620	460	340	280	60	9,60	Wheels
M75-28	816	540	306	750	480	280	220	60	10,20	Wheels
M75-40	816	540	426	750	480	400	340	60	12,10	Wheels
M80-14	850	440	158	800	370	140	95	45	6,20	---
M82-45T	880	660	483	820	600	450	380	70	15,40	Wheels
M110-14	1177	450	158	1100	370	140	95	45	7,92	Wheels



TESTS	METHODS
HORIZONTAL IMPACT TEST	STANAG 4280 DEF-STD 81-41 (Part 3 Issue 4)
VERTICAL IMPACT TEST	STANAG 4280 DEF-STD 81-41 (Part 3 Issue 4)
VIBRATION TEST	STANAG 4280 DEF-STD 81-41 (Part 3 Issue 4)
HUMIDITY, HIGH AND LOW TEM- PERATURE TESTS	STANAG 4280 DEF-STD 81-41 (Part 3 Issue 4)
STACKABLE TEST	STANAG 4280 DEF-STD 81-41 (Part 3 Issue 4)
BLOWING RAIN AND SAND TESTS "IP67"	CEI EN 60529



Suprobox Sp. z o.o.
OKRĘŻNA 18, 62-025 KOSTRZYN
POLAND

Tel: (+48) 61 307 33 17
E-mail: info@suprobox.com
suprobox.com